

KEL-DP multi-membrane cable entry plates, round

pluggable into metric cut-outs M16 - M50 / IP65 / UL Type 12



KEL-DP entry plates are designed for routing cables without connectors, hoses or fibre optics in limited space.

The KEL-DP products are an easy to assemble and cost saving alternative to traditional cable glands. Simply make a small hole in the thin membrane and push the cables through. The KEL-DP round provides protection IP65 / UL type 12.

The round version of the KEL-DP fits perfectly into metric cut-outs M16 | M20 | M25 | M32 | M40 | M50. A special rib ensures a centred fit in the cut-outs.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

IP54

ECOLAB certified

Made in Germany

IP55

UV ISO 4892-2A

IP64

IP65

RoHS compliant

UL TYPE 12

REACH COMPLIANCE

Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Snap-in

Advantages & benefits

- Quick assembly without tools
- High cable density
- Cost-effective solution
- Hygienic design - free of dirt-collecting recesses

Product types & sizes

KEL-DP 16|1 A gy round




Part No.	43600	Mounting height	5 mm
EAN	4251269329791	Cut-out size, round	16 mm
Package quantity	10	Cut-out size, metric	M16
For max. no. of cables	1	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	1 x 1 - 9.2 mm
External diameter	23 mm		

KEL-DP 16|3 A gy round


Part No.	43601
EAN	4251269329807
Package quantity	10
For max. no. of cables	3
Colour	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	23 mm

Mounting height	5 mm
Cut-out size, round	16 mm
Cut-out size, metric	M16
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	3 x 1 - 5.2 mm

KEL-DP 16|7 A gy round


Part No.	43602
EAN	4251269329814
Package quantity	10
For max. no. of cables	7
Colour	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	23 mm

Mounting height	5 mm
Cut-out size, round	16 mm
Cut-out size, metric	M16
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	7 x 1 - 3.2 mm

KEL-DP 20|1 A gy round


Part No.	43571
EAN	4251269329784
Package quantity	10
For max. no. of cables	1
Colour	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	27 mm

Mounting height	5 mm
Cut-out size, round	20 mm
Cut-out size, metric	M20
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	1 x 1 - 14 mm

KEL-DP 20|4 A gy round


Part No.	43572
EAN	4251269320477
Package quantity	10
For max. no. of cables	4
Colour	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	27 mm

Mounting height	5 mm
Cut-out size, round	20 mm
Cut-out size, metric	M20
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	4 x 1 - 5.2 mm

KEL-DP 20|4-1 A gy round


Part No.	43575
EAN	4251269323911
Package quantity	10
For max. no. of cables	4
Colour	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	27 mm

Mounting height	5 mm
Cut-out size, round	20 mm
Cut-out size, metric	M20
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	2 x 1 - 8 mm 2 x 1 - 4.5 mm

KEL-DP 20|5 A gy round


Part No.	43573
EAN	4251269320484
Package quantity	10
For max. no. of cables	5
Colour	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	27 mm

Mounting height	5 mm
Cut-out size, round	20 mm
Cut-out size, metric	M20
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	1 x 1 - 10.6 mm 2 x 1 - 4.6 mm 2 x 1 - 3.6 mm

KEL-DP 20|9 A gy round


Part No. **43574**
 EAN **4251269320491**
 Package quantity **10**
 For max. no. of cables **9**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **27 mm**

Mounting height **5 mm**
 Cut-out size, round **20 mm**
 Cut-out size, metric **M20**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **5 x 1 - 4.6 mm**
4 x 1 - 3.6 mm

KEL-DP 25|4 A gy round


Part No. **43533**
 EAN **4251269310027**
 Package quantity **10**
 For max. no. of cables **4**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 8 mm**

KEL-DP 25|4 A bk round


Part No. **50533**
 EAN **4251269314803**
 Package quantity **10**
 For max. no. of cables **4**
 Colour **schwarz**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 8 mm**

KEL-DP 25|4 B bk round


Part No. **43535**
 EAN **4251269324079**
 Package quantity **10**
 For max. no. of cables **4**
 Colour **schwarz**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **4 x 1 - 8 mm**

KEL-DP 25|6 A gy round


Part No. **43531**
 EAN **4251269310003**
 Package quantity **10**
 For max. no. of cables **6**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 5.2 mm**
2 x 1 - 9.4 mm

KEL-DP 25|6 A bk round


Part No. **50531**
 EAN **4251269314780**
 Package quantity **10**
 For max. no. of cables **6**
 Colour **schwarz**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 5.2 mm**
2 x 1 - 9.4 mm

KEL-DP 25|7 A gy round


Part No. **43534**
 EAN **4251269322563**
 Package quantity **10**
 For max. no. of cables **7**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **7 x 1 - 5.2 mm**

KEL-DP 32|7 A gy round


Part No. **43592**
 EAN **4251269322488**
 Package quantity **10**
 For max. no. of cables **7**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **7 x 1 - 8 mm**

KEL-DP 32|7 B gy round


Part No. **43596**
 EAN **4251269322525**
 Package quantity **10**
 For max. no. of cables **7**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **7 x 1 - 8 mm**

KEL-DP 32|10 A gy round

Part No. **43532**
 EAN **4251269310010**
 Package quantity **10**
 For max. no. of cables **10**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **6 x 1 - 5.2 mm**
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm

KEL-DP 32|10 B gy round

Part No. **43560**
 EAN **4251269310133**
 Package quantity **10**
 For max. no. of cables **10**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **6 x 1 - 5.2 mm**
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm

KEL-DP 32|10 A bk round


Part No. **50532**
 EAN **4251269314797**
 Package quantity **10**
 For max. no. of cables **10**
 Colour **schwarz**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **6 x 1 - 5.2 mm**
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm

**KEL-DP 32|10 B bk
round**


Part No. **50560**
EAN **4251269314889**
Package quantity **10**
For max. no. of cables **10**
Colour **schwarz**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **6 x 1 - 5.2 mm**
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm

**KEL-DP 32|10-2 A gy
round**


Part No. **43593**
EAN **4251269322495**
Package quantity **10**
For max. no. of cables **10**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **10 x 1 - 6.4 mm**

**KEL-DP 32|10-2 B gy
round**


Part No. **43597**
EAN **4251269322532**
Package quantity **10**
For max. no. of cables **10**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **10 x 1 - 6.4 mm**

**KEL-DP 32|11 A gy
round**


Part No. **43594**
EAN **4251269322501**
Package quantity **10**
For max. no. of cables **11**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **2 x 1 - 8 mm**
9 x 1 - 5.2 mm

**KEL-DP 32|11 B gy
round**


Part No. **43598**
EAN **4251269322549**
Package quantity **10**
For max. no. of cables **11**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **2 x 1 - 8 mm**
9 x 1 - 5.2 mm

**KEL-DP 32|13 A gy
round**


Part No. **43595**
EAN **4251269322518**
Package quantity **10**
For max. no. of cables **13**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **13 x 1 - 5.2 mm**

KEL-DP 32|13 B gy round


Part No. **43599**
EAN **4251269322556**
Package quantity **10**
For max. no. of cables **13**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **13 x 1 - 5.2 mm**

KEL-DP 40|9 A gy round


Part No. **43536**
EAN **4251269310034**
Package quantity **10**
For max. no. of cables **9**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **50 mm**

Mounting height **5 mm**
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **8 x 1 - 9.5 mm**
1 x 1 - 11.3 mm

KEL-DP 40|9 B gy round


Part No. **43561**
EAN **4251269310140**
Package quantity **10**
For max. no. of cables **9**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **50 mm**

Mounting height **5 mm**
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **8 x 1 - 9.5 mm**
1 x 1 - 11.3 mm

KEL-DP 40|16 A gy round


Part No. **43537**
EAN **4251269310041**
Package quantity **10**
For max. no. of cables **16**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **50 mm**

Mounting height **5 mm**
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **2 x 1 - 5.3 mm**
10 x 1 - 6.3 mm
2 x 1 - 9.5 mm
2 x 1 - 11.3 mm

KEL-DP 40|16 B gy round


Part No. **43563**
EAN **4251269310164**
Package quantity **10**
For max. no. of cables **16**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **50 mm**

Mounting height **5 mm**
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **2 x 1 - 5.3 mm**
10 x 1 - 6.3 mm
2 x 1 - 9.5 mm
2 x 1 - 11.3 mm

KEL-DP 40|17 A gy round


Part No. **43538**
EAN **4251269310058**
Package quantity **10**
For max. no. of cables **17**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **50 mm**

Mounting height **5 mm**
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **1 x 1 - 4 mm**
16 x 1 - 7.2 mm

KEL-DP 40|17 B gy round


Part No. **43565**
EAN **4251269310188**
Package quantity **10**
For max. no. of cables **17**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **50 mm**

Mounting height
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **1 x 1 - 4 mm**
16 x 1 - 7.2 mm

KEL-DP 50|9 A gy round

Part No. **43554**
EAN **4251269310102**
Package quantity **10**
For max. no. of cables **9**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm

KEL-DP 50|9 B gy round

Part No. **43568**
EAN **4251269310218**
Package quantity **10**
For max. no. of cables **9**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm

KEL-DP 50|9 A bk round

Part No. **50554**
EAN **4251269314858**
Package quantity **10**
For max. no. of cables **9**
Colour **schwarz**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm

KEL-DP 50|9 B bk round

Part No. **50568**
EAN **4251269314933**
Package quantity **10**
For max. no. of cables **9**
Colour **schwarz**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm

KEL-DP 50|11 A gy round

Part No. **43555**
EAN **4251269310119**
Package quantity **10**
For max. no. of cables **11**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **7 x 1 - 7.2 mm**
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

**KEL-DP 50|11 B gy
round**



Part No.	43569	Mounting height	5 mm
EAN	4251269310225	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	11	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	Clamping range	7 x 1 - 7.2 mm
External diameter	60 mm		3 x 1 - 11.2 mm
			1 x 1 - 22.5 mm

**KEL-DP 50|11 A bk
round**




Part No.	50555	Mounting height	5 mm
EAN	4251269314865	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	11	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	7 x 1 - 7.2 mm
External diameter	60 mm		3 x 1 - 11.2 mm
			1 x 1 - 22.5 mm

**KEL-DP 50|11 B bk
round**




Part No.	50569	Mounting height	5 mm
EAN	4251269314940	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	11	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Height	12 mm	Clamping range	7 x 1 - 7.2 mm
External diameter	60 mm		3 x 1 - 11.2 mm
			1 x 1 - 22.5 mm

**KEL-DP 50|12 A gy
round**




Part No.	43551	Mounting height	5 mm
EAN	4251269310072	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	12	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	10 x 1 - 9.2 mm
External diameter	60 mm		2 x 1 - 11.2 mm

**KEL-DP 50|12 B gy
round**



Part No.	43562	Mounting height	5 mm
EAN	4251269310157	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	12	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	Clamping range	10 x 1 - 9.2 mm
External diameter	60 mm		2 x 1 - 11.2 mm

**KEL-DP 50|12 A bk
round**



Part No.	50551	Mounting height	5 mm
EAN	4251269314827	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	12	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	10 x 1 - 9.2 mm
External diameter	60 mm		2 x 1 - 11.2 mm


**KEL-DP 50|12 B bk
round**



Part No. **50562**
EAN **4251269314896**
Package quantity **10**
For max. no. of cables **12**
Colour **schwarz**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **10 x 1 - 9.2 mm**
2 x 1 - 11.2 mm


**KEL-DP 50|16 A gy
round**



Part No. **43550**
EAN **4251269310065**
Package quantity **10**
For max. no. of cables **16**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm

**KEL-DP 50|16 B gy
round**



Part No. **43564**
EAN **4251269310171**
Package quantity **10**
For max. no. of cables **16**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm

**KEL-DP 50|16 A bk
round**



Part No. **50550**
EAN **4251269314810**
Package quantity **10**
For max. no. of cables **16**
Colour **schwarz**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm


**KEL-DP 50|16 B bk
round**



Part No. **50564**
EAN **4251269314902**
Package quantity **10**
For max. no. of cables **16**
Colour **schwarz**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm


**KEL-DP 50|18 A gy
round**



Part No.	43553
EAN	4251269310096
Package quantity	10
For max. no. of cables	18
Colour	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	60 mm

Mounting height	5 mm
Cut-out size, round	50 mm
Cut-out size, metric	M50
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	2 x 1 - 4 mm
	2 x 1 - 6 mm
	4 x 1 - 7.2 mm
	5 x 1 - 9.4 mm
	5 x 1 - 12 mm


**KEL-DP 50|18 B gy
round**



Part No.	43567
EAN	4251269310201
Package quantity	10
For max. no. of cables	18
Colour	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	60 mm

Mounting height	5 mm
Cut-out size, round	50 mm
Cut-out size, metric	M50
For min. wall thickness	2,8 mm
For max. wall thickness	4 mm
Clamping range	2 x 1 - 4 mm
	2 x 1 - 6 mm
	4 x 1 - 7.2 mm
	5 x 1 - 9.4 mm
	5 x 1 - 12 mm

**KEL-DP 50|18 A bk
round**



Part No.	50553
EAN	4251269314841
Package quantity	10
For max. no. of cables	18
Colour	schwarz
Height	12 mm
External diameter	60 mm

Mounting height	5 mm
Cut-out size, round	50 mm
Cut-out size, metric	M50
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	2 x 1 - 4 mm
	2 x 1 - 6 mm
	4 x 1 - 7.2 mm
	5 x 1 - 9.4 mm
	5 x 1 - 12 mm


**KEL-DP 50|18 B bk
round**



Part No.	50567
EAN	4251269314926
Package quantity	10
For max. no. of cables	18
Colour	schwarz
Height	12 mm
External diameter	60 mm


Mounting height	5 mm
Cut-out size, round	50 mm
Cut-out size, metric	M50
For min. wall thickness	2,8 mm
For max. wall thickness	4 mm
Clamping range	2 x 1 - 4 mm
	2 x 1 - 6 mm
	4 x 1 - 7.2 mm
	5 x 1 - 9.4 mm
	5 x 1 - 12 mm

**KEL-DP 50|20 A gy
round**




Part No.	43552
EAN	4251269310089
Package quantity	10
For max. no. of cables	20
Colour	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	60 mm

Mounting height	5 mm
Cut-out size, round	50 mm
Cut-out size, metric	M50
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	16 x 1 - 6.3 mm
	4 x 1 - 9.3 mm

**KEL-DP 50|20 B gy
round**


Part No. **43566**
EAN **4251269310195**
Package quantity **10**
For max. no. of cables **20**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm

**KEL-DP 50|20 A bk
round**


Part No. **50552**
EAN **4251269314834**
Package quantity **10**
For max. no. of cables **20**
Colour **schwarz**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm

**KEL-DP 50|20 B bk
round**


Part No. **50566**
EAN **4251269314919**
Package quantity **10**
For max. no. of cables **20**
Colour **schwarz**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm

**KEL-DP 50|35 A gy
round**


Part No. **43556**
EAN **4251269310126**
Package quantity **10**
For max. no. of cables **35**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **35 x 1 - 5.2 mm**

**KEL-DP 50|35 B gy
round**

Part No. **43570**
EAN **4251269310232**
Package quantity **10**
For max. no. of cables **35**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**

**KEL-DP 50|35 A bk
round**

Part No. **50556**
EAN **4251269314872**
Package quantity **10**
For max. no. of cables **35**
Colour **schwarz**
Height **12 mm**
External diameter **60 mm**

Mounting height **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **35 x 1 - 5.2 mm**

KEL-DP 50|35 B bk
round



Part No.	50570	Mounting height	5 mm
EAN	4251269314957	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	35	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Height	12 mm	Clamping range	35 x 1 - 5.2 mm
External diameter	60 mm		